| | A U N | |
|---|--|--|
| | Application No. | Applicant(s) |
| Madiaa af All L:1:4 | 10/808,511 | SASOH ET AL. |
| Notice of Allowability | Examiner | Art Unit |
| | Sophia S. Chen | 2852 |
| The MAILING DATE of this communication appea All claims being allowable, PROSECUTION ON THE MERITS IS (0 herewith (or previously mailed), a Notice of Allowance (PTOL-85) o NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIG of the Office or upon petition by the applicant. See 37 CFR 1.313 a | OR REMAINS) CLOSED in to the appropriate communities. This application is su | this application. If not included included included included in due course. THIS |
| 1. This communication is responsive to amendment filed 1/13/0 | <u>06</u> . | |
| 2. 🔀 The allowed claim(s) is/are <u>1-16</u> . | | |
| Acknowledgment is made of a claim for foreign priority und a) | peen received. | |
| Certified copies of the priority documents have to | | |
| Copies of the certified copies of the priority docu | ıments have been received i | in this national stage application from the |
| International Bureau (PCT Rule 17.2(a)). | | |
| * Certified copies not received: | • | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONME THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. | NT of this application. ed. Note the attached EXAN | MINER'S AMENDMENT or NOTICE OF |
| INFORMAL PATENT APPLICATION (PTO-152) which gives | | declaration is deficient. |
| 5. CORRECTED DRAWINGS (as "replacement sheets") must | | |
| (a) including changes required by the Notice of Draftspersor | n's Patent Drawing Review (| (PTO-948) attached |
| 1) hereto or 2) to Paper No./Mail Date | | |
| (b) including changes required by the attached Examiner's A Paper No./Mail Date | | |
| Identifying indicia such as the application number (see 37 CFR 1.8 each sheet. Replacement sheet(s) should be labeled as such in the | 4(c)) should be written on the header according to 37 CFR | drawings in the front (not the back) of 1.121(d). |
| DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT FO | t of BIOLOGICAL MATER OR THE DEPOSIT OF BIOL | RIAL must be submitted. Note the OGICAL MATERIAL. |
| | | |
| Attachment(s) 1. ☐ Notice of References Cited (PTO-892) | 5. ☐ Notice of Info | rmal Patent Application (PTO-152) |
| 2. Notice of Draftperson's Patent Drawing Review (PTO-948) | 6. 🗌 Interview Sun | nmary (PTO-413), |
| 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08) | Paper No./M 7. ⊠ Examiner's Aı | ail Date mendment/Comment |
| Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material | 8. ⊠ Examiner's St | tatement of Reasons for Allowance |
| | 9. 🗹 Other | |
| | | |
| | | |
| | | |
| | | · |

Art Unit: 2852

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: The prior art of record does not teach or suggest a cabinet opening structure for an apparatus having a sheet transporting member comprising first and second operating members are concealed when the side cabinet is closed as set forth in the claimed combinations.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

EXAMINER'S COMMENT

Drawings

2. The drawings were received on 1/13/06. These drawings (Figures 1 and 4) are approved.

Applicants' Remarks

3. Applicants state the claimed invention allows the knobs 27 (first operating member) and 28 (second operating member) to be exposed and rendered operable by only the side cabinet 21b. Applicants further state that Gotoh et al. reference requires "at least two actions". The examiner agrees with the above statement; however, "only one action" is not part of the claimed limitation. The examiner also agrees both first and second operating members are concealed when the side cabinet is closed. Gotoh et al.

Art Unit: 2852

reference fails to disclose this feature because Gotoh et al. only discloses one operating member 75 is concealed when the side cabinet is closed.

Sophia S. Chen

Primary Examiner

Art Unit 2852

Ssc

January 23, 2006